

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**In the Claims:**

---

- B 1
1. (Currently Amended) A system, comprising:  
a signal processor for receiving a signal to be processed; and  
an information handling system for receiving an output signal provided by said signal processor, the output signal being a video signal that is representative of at least a portion of the input signal,  
wherein said information handling system provides a control signal to said signal processor and said signal processor encodes data onto the output signal in response to the control signal such that the encoded data is decodable by said information handling system;  
~~wherein the output signal provided by said signal processor is a video signal, and the data is encoded~~ the signal processor is an information storage media player which is capable of encoding the data onto a vertical blanking interval of the output signal.
  2. (Original) A system as claimed in claim 1, said signal processor including a data encoder for encoding the data onto the output signal, and said information handling system having a data decoder for decoding the data from the output signal received from said signal processor.
  3. (Original) A system as claimed in claim 1, said information handling system having a transmitter for transmitting the control signal to said signal processor, and said signal processor having a receiver and decoder for receiving and decoding the control signal received from said information handling system.

4. (Original) A system as claimed in claim 1, said information handling system being capable of reproducing the output signal received from said signal processor.
5. (Original) A system as claimed in claim 1, the signal to be processed and the output signal provided by said signal processor being video signals.
6. (Cancelled).
7. (Previously Presented) A system as claimed in claim 1, the output signal provided by said signal processor being an NTSC compliant video signal.
8. (Previously Presented) A system as claimed in claim 1, the output signal provided by said signal processor being an NTSC compliant video signal, the data being encoded onto the vertical blanking interval of the NTSC compliant video signal in compliance with an Electronic Industry Association standard.
9. (Original) A system as claimed in claim 1, the control signal being a wireless signal.
10. (Cancelled)
11. (Currently Amended) A system, comprising:  
means for processing a received signal;  
means for transmitting a control signal to said processing means;  
means, coupled with said processing means, for receiving and decoding the control signal;  
means, coupled with said processing means, for encoding data onto an output signal provided by said processing means in response to the control signal;  
and

means for transmitting the output signal to said transmitting means wherein said transmitting means is capable of decoding the encoded data from the provided signal; and

means for storing at least a portion of the received signal to a storage medium in an information storage media player and for reproducing at least a portion of the stored signal as the output signal;

wherein said data is encoded onto a vertical blanking interval of the output signal.

12. (Original) A system as claimed in claim 11, the data being indicative of a status of execution of the control signal.

13. (Original) A system as claimed in claim 11 the data being indicative of a status of said processing means.

14. (Cancelled)

15. (Currently Amended) A method, comprising:  
transmitting a control signal to a signal processor from an information handling system that controls the signal processor;  
receiving and decoding the control signal;  
providing ~~an output signal~~ a video signal from the signal processor to the information handling system; and  
encoding data onto the provided output signal in response to the control signal;

wherein ~~the output signal provided by said signal processor is a video signal, and~~ said signal processor is an information storage media player which is capable of encoding the data is encoded onto an available vertical blanking interval of the ~~output signal~~ video signal.

16 (Cancelled)

17. (Original) A method as claimed in claim 15, further comprising the step of decoding the data from the provided output signal.

18. (Original) A method as claimed in claim 15, the data being indicative of a status of the signal processor.

19. (Previously Presented) A method as claimed in claim 15, further comprising the steps of:

B<sup>1</sup>  
determining that the available vertical blanking interval is not available during a predetermined time after decoding the control signal; and  
interleaving the data in a previously existing data packet.

20. (Currently Amended) A program of instructions storable on a computer readable medium for causing an information handling system to execute a series of steps, the steps comprising:

transmitting a control signal from an information handling system to a signal processor that the information handling system controls;

receiving and decoding the control signal;

providing an output signal from the signal processor to the information handling system; and

encoding data onto the output signal in response to the control signal;

wherein the output signal provided by said signal processor is a video signal, and the data is encoded and the signal processor is an information storage media player which is capable of encoding the data onto an available vertical blanking interval of the output signal.

21. (Original) A program of instructions as claimed in claim 20, the steps further including the step of decoding the data from the output signal.
22. (Original) A program of instructions as claimed in claim 20, the data being indicative of a state of the signal processor.
23. (Cancelled).
24. (Previously Presented) A program of instructions as claimed in claim 20, the steps further comprising the steps of:  
determining that the available vertical blanking interval is not available during a predetermined time after decoding the control signal; and  
interleaving the data in a previously existing data packet.
25. (New) A system as claimed in claim 1, wherein said information storage media player is a VCR player.
26. (New) A system as claimed in claim 1, wherein said information storage media player is a DVD player.
27. (New) A convergence system capable of communicating state information using a vertical blanking interval of a video signal, comprising:  
a computer system for controlling the convergence system;  
a television monitor coupled to the computer system for displaying video images;  
an information storage media player coupled to at least one of the computer system and the television monitor for receiving a storage medium containing video information stored thereon and providing an output video signal having a vertical blanking interval to at least one of the computer system and the television monitor; and

wherein the information storage media player receives and decodes a control signal from the computer system and, in response thereto, encodes status data within the vertical blanking interval of the output video signal, the encoded status data being decodable by the computer system for acquiring the status of the information storage media player.

28. (New) The convergence system as claimed in claim 27, wherein the information storage media player is capable of determining that an available vertical blanking interval is not available during a predetermined time after decoding the control signal and interleaving the data in a previously existing data packet.
29. (New) The convergence system as claimed in claim 27, wherein the status data includes recording, paused, playing back, and channel information.
30. (New) The convergence system as claimed in claim 27, wherein information storage media player comprises at least one of a video cassette recorder (VCR), a DVD player, a DVD player and recorder and a video laser disc player.
-